

East Searched

| L Number | Hits | Search Text | DB | Time stamp |
|-------------|------|---|---|---------------------|
| 1 | 8 | aligning and soldering and 228/5.5.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 15:48 |
| 2 | 28 | aligning and soldering and 228/44.7.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 15:49 |
| 3 | 5 | aligning and soldering and 228/39.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 15:49 |
| 4 | 10 | aligning and soldering and 228/37.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 15:49 |
| 5 | 2 | aligning and soldering and 269/71.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 15:49 |
| 6 | 25 | aligning and soldering and 269/903.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 15:49 |
| 7 | 3 | aligning and soldering and 269/902.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 15:50 |
| 8 | 1 | aligning and soldering and 269/68.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 15:50 |
| 9 | 1 | aligning and soldering and 269/67.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 15:50 |
| 10 | 16 | aligning and soldering and 29/760.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 15:50 |

| | | | | |
|----|-----|--|---|---------------------|
| 11 | 3 | aligning and soldering and 29/761.ccls. | USPAT; US-PGPUB; EP ; JPO; DERWENT; IBM_TDB | 2003/10/28 15:50 |
| 12 | 143 | aligning and soldering and 29/740-765.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 15:50 |
| - | 16 | ("3269630" "4241861" "4354628" "4422567" "4506670" "4506671" "4602634" "4606345" "4665916" "4715520" "4728020" "4741336" "4767044" "4819853" "4881545" "4964559").PN. | USPAT | 2003/10/28 12:29 |
| - | 2 | ("3667102" "4040179").PN. | USPAT | 2003/10/28 12:34 |
| - | 35 | jig and base and slot and finger and 439/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 12:41 |
| - | 10 | ("4226491" "5242310" "5333100" "5339222" "5373149" "5510959" "5563769" "5780365" "5896274" "5986891").PN. | USPAT | 2003/10/28 12:42 |
| - | 8 | ("2976510" "3641482" "3668476" "3825110" "3937946" "4011940" "4030850" "4138711").PN. | USPAT | 2003/10/28 12:43 |
| - | 3 | ("4780791" "5189638" "5490043").PN. | USPAT | 2003/10/28 12:44 |
| - | 18 | ("3701071" "3723943" "4037270" "4222622" "4235500" "4349238" "4358172" "4477137" "4630874" "4639063" "4934947" "4936792" "4944690" "5061205" "5273441" "5288236" "5292266" "5348483").PN. | USPAT | 2003/10/28 12:48 |
| - | 122 | jig and base and slot and finger and 29/\$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 12:51 |
| - | 1 | fixture and base and slot and finger and claw and soldering near process | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 12:57 |
| - | 28 | fixture and base and slot and finger and soldering near process | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:07 |

| | | | | |
|---|------|--|---|---------------------|
| - | 94 | ("3573617" "3670409" "4210383" "4716049" "4760335" "4774632" "4893172" "4902606" "4924353" "4933808" "4975079" "5006792" "5015191" "5073117" "5086337" "5097101" "5139427" "5144747" "5149662" "5152695" "5153814" "5173055" "5175491" "5198963" "5208529" "5228861" "5245277" "5289117" "5321277" "5329423" "5367253" "5376010" "5396032" "5400220" "5420506" "5476211" "5477086" "5477161" "5502397" "5517515" "5556293" "5570003" "5578870" "5602422" "5611705" "5628635" "5629837" "5632631" "5637008" "5646447" "5646542" "5648893" "5655926" "5656945" "5669774" "5686843" "5691041" "5692911" "5702255" "5727954" "5730606" "5746808" "5751554" "5786704" "5789271" "5800205" "5802699" "5810609" "5812378" "5823800" "5829988" "5857858" "5887344" "5888837" "5905383" "RE36217" "5923181" "5934914" "5947751" "5955888" "5959840" "5973340" "5973394" "5978223" "5982185" "5983492" "5984694" "6002590" "6007349" "6036503" "6037667" "6042387" "6043563" "6062874").PN. | USPAT | 2003/10/28 13:03 |
| - | 1 | fixture and base and slot and finger and claw and soldering | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:07 |
| - | 77 | fixture and base and slot and finger and claw | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:17 |
| - | 2 | apparatus and aligning and soldering and base and slot and finger and claw | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:18 |
| - | 1881 | Tran near Camnhung T. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:19 |

| | | | | |
|---|----|--|---|---------------------|
| - | 2 | Tran near Camnhung.inv. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:19 |
| - | 2 | Tran n ar Camnhung .inv. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:20 |
| - | 11 | ("4444559" "4564135" "4767047" "4799617" "4805827" "4952778" "4957139" "5196667" "5263620" "5419481" "5814789").PN. | USPAT | 2003/10/28 13:19 |
| - | 4 | ("3390033" "3460238" "4274576" "5152447").PN. | USPAT | 2003/10/28 13:20 |
| - | 10 | holder and soldering and base and slot and claw and finger | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:26 |
| - | 2 | ("4567536" "4622605").PN. | USPAT | 2003/10/28 13:21 |
| - | 1 | aligning adj soldering near fixture | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:27 |
| - | 33 | aligning adj soldering | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:31 |
| - | 0 | aligning adj fixture and pcb adj slot and connector | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:32 |
| - | 1 | aligning adj fixture and pcb adj slot | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:32 |
| - | 5 | aligning adj fixture and pcb | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:41 |

| | | | | |
|---|----|--|---|---------------------|
| - | 19 | ("3574923" "3595556" "3762060" "3764126" "3774834" "3783225" "3988014" "4638937" "4879809" "4896811" "5092510" "5127573" "5176312" "5377897" "5617622" "5637024" "5730630" "6006980" "6105241").PN. | USPAT | 2003/10/28 13:33 |
| - | 8 | ("3669478" "4399988" "4491173" "4527620" "4809430" "4890382" "5060366" "5850691").PN. | USPAT | 2003/10/28 13:34 |
| - | 19 | ("3574923" "3595556" "3762060" "3764126" "3774834" "3783225" "3988014" "4638937" "4879809" "4896811" "5092510" "5127573" "5176312" "5377897" "5617622" "5637024" "5730630" "6006980" "6105241").PN. | USPAT | 2003/10/28 13:35 |
| - | 10 | soldering adj fixture and pcb | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:46 |
| - | 5 | ("4655164" "4720034" "5456402" "5785307" "5820013").PN. | USPAT | 2003/10/28 13:42 |
| - | 6 | ("4030717" "4948108" "5067648" "5454505" "5456402" "5540376").PN. | USPAT | 2003/10/28 13:43 |
| - | 4 | ("0390751" "1558929" "2284972" "4706602").PN. | USPAT | 2003/10/28 13:45 |
| - | 3 | aligning and soldering adj fixture and pcb | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 15:48 |
| - | 22 | ("4464652" "4712101" "4928093" "4952919" "4982618" "5095303" "5161313" "5298919" "5313230" "5473344" "5479192" "5488392" "5493314" "5557440" "5694153" "5699083" "5712725" "5717427" "5771038" "5790098" "5828364" "5912661").PN. | USPAT | 2003/10/28 13:47 |

| L Number | Hits | Search Text | DB | Time stamp |
|---------------------|-------------|--|---|---------------------|
| - | 16 | ("3269630" "4241861" "4354628" "4422567" "4506670" "4506671" "4602634" "4606345" "4665916" "4715520" "4728020" "4741336" "4767044" "4819853" "4881545" "4964559").PN. | USPAT | 2003/10/28 12:29 |
| - | 2 | ("3667102" "4040179").PN. | USPAT | 2003/10/28 12:34 |
| - | 35 | jig and base and slot and finger and 439/\$.cccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 12:41 |
| - | 10 | ("4226491" "5242310" "5333100" "5339222" "5373149" "5510959" "5563769" "5780365" "5896274" "5986891").PN. | USPAT | 2003/10/28 12:42 |
| - | 8 | ("2976510" "3641482" "3668476" "3825110" "3937946" "4011940" "4030850" "4138711").PN. | USPAT | 2003/10/28 12:43 |
| - | 3 | ("4780791" "5189638" "5490043").PN. | USPAT | 2003/10/28 12:44 |
| - | 18 | ("3701071" "3723943" "4037270" "4222622" "4235500" "4349238" "4358172" "4477137" "4630874" "4639063" "4934947" "4936792" "4944690" "5061205" "5273441" "5288236" "5292266" "5348483").PN. | USPAT | 2003/10/28 12:48 |
| - | 122 | jig and base and slot and finger and 29/\$.cccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 12:51 |
| - | 1 | fixture and base and slot and finger and claw and soldering near process | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 12:57 |
| - | 28 | fixture and base and slot and finger and soldering near process | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:07 |

| | | | | |
|---|------|--|---|---------------------|
| - | 94 | ("3573617" "3670409" "4210383" "4716049" "4760335" "4774632" "4893172" "4902606" "4924353" "4933808" "4975079" "5006792" "5015191" "5073117" "5086337" "5097101" "5139427" "5144747" "5149662" "5152695" "5153814" "5173055" "5175491" "5198963" "5208529" "5228861" "5245277" "5289117" "5321277" "5329423" "5367253" "5376010" "5396032" "5400220" "5420506" "5476211" "5477086" "5477161" "5502397" "5517515" "5556293" "5570003" "5578870" "5602422" "5611705" "5628635" "5629837" "5632631" "5637008" "5646447" "5646542" "5648893" "5655926" "5656945" "5669774" "5686843" "5691041" "5692911" "5702255" "5727954" "5730606" "5746808" "5751554" "5786704" "5789271" "5800205" "5802699" "5810609" "5812378" "5823800" "5829988" "5857858" "5887344" "5888837" "5905383" "RE36217" "5923181" "5934914" "5947751" "5955888" "5959840" "5973340" "5973394" "5978223" "5982185" "5983492" "5984694" "6002590" "6007349" "6036503" "6037667" "6042387" "6043563" "6062874").PN. | USPAT | 2003/10/28 13:03 |
| - | 1 | fixture and base and slot and finger and claw and soldering | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:07 |
| - | 77 | fixture and base and slot and finger and claw | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:17 |
| - | 2 | apparatus and aligning and soldering and base and slot and finger and claw | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:18 |
| - | 1881 | Tran near Camnhung T. | USPAT; US-PGPUB; EPO; JP ; DERWENT; IBM_TDB | 2003/10/28 13:19 |

| | | | | |
|---|----|--|---|---------------------|
| - | 2 | Tran near Camnhung.inv. | USPAT; US-P PUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:19 |
| - | 2 | Tran near Camnhung .inv. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:20 |
| - | 11 | ("4444559" "4564135" "4767047" "4799617" "4805827" "4952778" "4957139" "5196667" "5263620" "5419481" "5814789").PN. | USPAT | 2003/10/28 13:19 |
| - | 4 | ("3390033" "3460238" "4274576" "5152447").PN. | USPAT | 2003/10/28 13:20 |
| - | 10 | holder and soldering and base and slot and claw and finger | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:26 |
| - | 2 | ("4567536" "4622605").PN. | USPAT | 2003/10/28 13:21 |
| - | 1 | aligning adj soldering near fixture | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:27 |
| - | 33 | aligning adj soldering | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:31 |
| - | 0 | aligning adj fixture and pcb adj slot and connector | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:32 |
| - | 1 | aligning adj fixture and pcb adj slot | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:32 |
| - | 5 | aligning adj fixture and pcb | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:41 |

| | | | | |
|---|----|--|---|---------------------|
| - | 19 | ("3574923" "3595556" "3762060" "3764126" "3774834" "3783225" "3988014" "4638937" "4879809" "4896811" "5092510" "5127573" "5176312" "5377897" "5617622" "5637024" "5730630" "6006980" "6105241").PN. | USPAT | 2003/10/28 13:33 |
| - | 8 | ("3669478" "4399988" "4491173" "4527620" "4809430" "4890382" "5060366" "5850691").PN. | USPAT | 2003/10/28 13:34 |
| - | 19 | ("3574923" "3595556" "3762060" "3764126" "3774834" "3783225" "3988014" "4638937" "4879809" "4896811" "5092510" "5127573" "5176312" "5377897" "5617622" "5637024" "5730630" "6006980" "6105241").PN. | USPAT | 2003/10/28 13:35 |
| - | 10 | soldering adj fixture and pcb | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:46 |
| - | 5 | ("4655164" "4720034" "5456402" "5785307" "5820013").PN. | USPAT | 2003/10/28 13:42 |
| - | 6 | ("4030717" "4948108" "5067648" "5454505" "5456402" "5540376").PN. | USPAT | 2003/10/28 13:43 |
| - | 4 | ("0390751" "1558929" "2284972" "4706602").PN. | USPAT | 2003/10/28 13:45 |
| - | 3 | aligning and soldering adj fixture and pcb | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/28 13:46 |
| - | 22 | ("4464652" "4712101" "4928093" "4952919" "4982618" "5095303" "5161313" "5298919" "5313230" "5473344" "5479192" "5488392" "5493314" "5557440" "5694153" "5699083" "5712725" "5717427" "5771038" "5790098" "5828364" "5912661").PN. | USPAT | 2003/10/28 13:47 |